

### **Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

### **Listing of Claims:**

1. (Currently Amended) An insert ~~Insert- adapted for being added~~ addition to a gas-pressurized liquid in a liquid container, the liquid container also having a headspace adjacent to the gas-pressurized liquid, comprising:

a body that is activated by pressure, having a perimeter and at least one first cavity, said body having an opening that allows said at least one first cavity to communicate with said headspace; and

a positioning device interconnected to at least a portion of said perimeter of said body and arranged outside said perimeter of said body, said positioning device having at least one second cavity, said positioning device further comprising:

an opening arranged in a lower surface of said positioning device, which is in communication with said at least one second cavity, said opening being submerged in the gas-pressurized liquid when said insert is floating on the gas-pressurized liquid,

a ventilation opening arranged in an upper surface of said positioning device, which is in communication with said at least one second cavity, that directly communicates with the headspace, [[and]]

said lower surface of said positioning device being coplanar with a lower surface of said body,

wherein said at least one second cavity ensures that said insert will sink into the gas-pressurized liquid when said at least one second cavity is filled with the gas-pressurized liquid[.], and

wherein said at least one first cavity is maintained in an upright position for communicating with a headspace in an un-submerged state and for releasing contents when said insert is submerged in the gas-pressurized liquid.

2. (Cancelled)

3-4. (Cancelled)

5. (Currently Amended) ~~Insert in accordance with~~ The insert of claim 1, wherein a bottom surface of said body and said lower surface of said positioning device form an integral unit.

6. (Cancelled)

7. (Currently Amended) ~~Insert in accordance with~~ The insert of claim 1, wherein said at least one first cavity of said body is comprised of a primary cavity having an opening for communication with the headspace an auxiliary cavity that is adapted to accommodate a solid or liquid substance, said primary cavity and said auxiliary cavity being separated by a partition.

8. (Currently Amended) ~~Insert in accordance with~~ The insert of claim 7, wherein[[,]] said partition between said primary cavity and said auxiliary cavity is a circumferential wall, which completely surrounds the said auxiliary cavity.

9. (Currently Amended) ~~Insert in accordance with~~ The insert of claim 8, wherein[[,]] the said auxiliary cavity has the shape of a cylinder that is symmetrical in relation to an axis (x), and said primary cavity has the shape of a cylindrical sleeve.

10. (Currently Amended) ~~Insert in accordance with~~ The insert of claim 1, wherein said body is arranged centrically in said positioning device.

11. (Currently Amended) ~~Insert in accordance with~~ The insert of claim 10, wherein[[,]] said body and the said positioning device are designed as symmetrical bodies in relation to an axis (x).

12. (Currently Amended) ~~Insert in accordance with~~ The insert of claim 1, further comprising a weight positioned within said at least one first cavity of said body.

13. (Currently Amended) ~~Insert in accordance with~~ The insert of claim 12, wherein[,] said weight is an integral part of the said body.
14. (Currently Amended) ~~Insert in accordance with~~ The insert of claim 1, wherein said insert is comprised of a bottom part, a cover part and a weight.
15. (Currently Amended) ~~Insert in accordance with~~ The insert of claim 14, wherein[,] the said bottom part and the said cover part are connected via a snap connection or a frictionally engaged connection.
16. (Currently Amended) ~~Insert in accordance with~~ The insert of claim 14, wherein said bottom part and a cover part are connected with one another via side walls thereof.
17. (Currently Amended) ~~Insert in accordance with~~ The insert of claim 14, wherein said cover part includes a side wall that snappingly engages said bottom part.
18. (Cancelled).
19. (Currently Amended) ~~Use of an insert in accordance with~~ The insert of claim 1, ~~further comprising a liquid filled container so as to improve the formation of gas bubbles in the gas pressurized liquid during the opening of the container,~~ wherein the insert is introduced into the container before or after the open container is filled with the gas-pressurized liquid, and the gas-pressurized liquid container is sealed, such that an overpressure develops compared to the ambient pressure within the gas-pressurized liquid container after the sealing.
20. (Currently Amended) ~~Use in accordance with~~ The insert of claim 19, wherein said overpressure is admitted into said headspace of the liquid container.
21. (Currently Amended) ~~Use in accordance with claim 18~~ The insert of claim 19, wherein the liquid is a foaming beverage.

22. (Currently Amended) ~~Use of an insert in accordance with~~ The insert of claim 7, wherein said auxiliary cavity is filled with the solid or liquid substance, the open container is filled with liquid, the insert is introduced into the container before or after the liquid is filled into the container, and the liquid container is sealed, such that an overpressure develops compared to the ambient pressure after the liquid container is sealed.

23. (Currently Amended) ~~Use in accordance with~~ The insert of claim 22, wherein said overpressure is admitted into the headspace.

24. (Currently Amended) ~~Use in accordance with~~ The insert of claim 22, wherein the liquid is beer and said solid or liquid substance is an aroma compound.

25. (Currently Amended) ~~Use in accordance with~~ The insert of claim 22, wherein the liquid is an alcohol-free, carbonated beverage or a non-carbonated beverage, which was filled with the addition of liquid nitrogen, and said solid or liquid is an aroma compound.